App. F. IX-4

1925-6

File No. 156-28

Previous References (June 7)

Serial Nos. 1-9

Later References

June 36-27-1-

General and Revenue Secretariat.

Serial Nos.

Part B for June 1928

SUBJECT

Revised estimate for Rs 4,133/- for the repairs of the Singanagadde, Basti Mathat Varasuchharajapura Koppa Taluk & the Jain temple at Singanaga

For final orders

Vide G.O. No 2612-Income Tax 20.6.28

G. R S. 11] 1925-6

GENERAL AND REVENUE SECRETARIAT.

(Mug)

NOTES.

File No.

FILE HEADING.

Revised estimate for Rs 4,133 for the repairs of the Singanagadde Basti Matt at Narasimharajapura, Koppa Taluk and the Jain temple at Singanagadde—

From

The Chief Secretary of Mysore—

No. 6074 Dated 23-11-25 Received 26-11-25

Diary No. 639 Enclos. 5 Spare Copies Serial No. 1

BRIEF ABSTRACT OF LETTER.

Submits for sanction a revised estimate for Rs 4,133 for the repairs of the outer Prakaram of Dodda Basti Matt and the Sri Santaveeraswami temple at Singanagadde;

NOTES AND ORDERS.

A In G.O. No. 4012 14/Mug 200 18-11 & 28-1-22 an estimate for Rs 3600 was sanctd. for the repair of the temple alone and a supplemental estimate for Rs 378 was also sanctd in G.O. No

B 1341-2/Mug 114-23-6 & 29-3-1924 on account of

Serial No

Establ^{t}, Tools and Plant charges - From the Ch: Engrs letter it will be seen that the estimate was not worked out, as the Dy: Com^{r} was of opinion that it was not worth while to spend such a large amount in view of the fact that there was no swamy in the matt and that the amount placed at the disposal of the P.W. D was ~~then~~ refunded to the Mug: Deptt. This may have to be verified by a reference to Compt^{r}.

2. The revised estimate now subd is for Rs 4,133 which comprises of two items of work viz (1) repairs of the outer prakaram of the matt & (2) repairs to the temple.

3 If a Swami has been appointed to the matt since the date of the order of 28.1.22, his wishes in respect of the proposed estimate, as well as of the Dharmadarsis, if any, may perhaps, be ascertained.

4. A sum of Rs 6,285 is reported to be available at the credit of the Matha.

5 Subd for orders as to whether further information, as above, may be called for or the estimate for Rs 4,133 may be sanctd.

28/11/25 (Rev - Mug) 28/11/25 1.12.25.

Note—Contn Sheet

App. F. III—21

File No. _____ of 192 _____

Serial No

NOTE—Contd. Sheet

Irrig. 634

B

[App. F. III—2

Irrigation Revenue Secretariat

Irrig File N 156 of 1925

Serial No

6. I think the proposals in paras 2 & 4 of the P W D may be sanctioned.
(One of the reasons why the original estimate for Rs 3000 was held up was it was considered capable of revision - The provision of Mayaveram Dike was found the most necessary. Since then the rains have damaged the bunds and the result of the further investigation has been that the repair work can no longer be postponed.
The dis[illegible] & the matter have been anxious about the early execution of the repairs).

268 11.12

1st member

10/12/25

11/12

7. I agree to the original Estimate being cancelled & the revised Estimate now put before after making enquiries as to complaints & necessity, - how far is saving among cattle to be credited to irrigation to meet the cost of the work

Please ascertain

SDO 14/12

17/12

Draft

14.12.25

8. Draft D.O. subm:

SD 16/12

15.12.25

9. Done

15.12.25.

NOTE—Contn Sheet

App. F. III—2J

WD 0569—

File No. of 192

General and Sec.etari

Serial No

NOTE— Contn. Shee

General and Revenue Secretariat

Mdg File No 156 of 1928

App. F. III—2

Serial No	
2	To The Comptroller No 752 of 17-12-25 Requesting him to intimate what amount is at the credit of the institution referred to in ol 1.
3	From the Compt. to Govt., letter no. 1068 Jud B. of 22-12-25. States that a sum of Rs 6,057-6-4 was at the credit of the Singanagadde Basti Mutt at Narasimharajpur at the end of June 1925. 10. As there is sufficient amount at the credit of the institution to meet the e of the work, a draft, sanctioning the estimate for Rs 4133, as per member's orders in para 7, is subd.-
4	To, Ch Engr, Mus Commr. & Compt. 815-7 of 9.1.26. Sanctions the estimate in question & calls for a report on the completion of the work

OTE—Contn. Sheet

App. F. III—]

WD 0569—GPB—40,000—31

File No of 192

General and Revenue Secretariat

Serial No

NOTE—Contn Sheet

General and Revenue Secretariat.

File No. 157 of 1925

Serial No.	
5	From the Ele. Engr., letter no. 4833 dt 26.11.26. Forwards for information a copy of the Superintending Engrs letter reporting the progress made on the works in question -
6	To the D.C. Kadur., letter no - 2123 dt 29-4-27 Enquires ~~the~~ what the cause of delay is in sanctioning the revised estimate stated to have been sent to him -
7	From the D C. Kadur., letter no - A.5 1780-28 dt 3-4-28 States that information called for by the M.C. in connection with the revised estimate ~~was~~ was furnished to him on 8-3-28 - 14 As the papers seem to be pending with the M.C, a draft letter requesting him to submit them early for sanction.. is put up for approval. SD 18-4-28 18/4/28 15 Done 15/4

NOTE—Contn. sheet

General and Revenue Secretariat.

Muz File No. 156 of 1928.

Serial No.	
8	To the M. C., letter no. 19628 25/4/28 Requests him to subt early the estimates for repairing the Singanagoode Basti Mall, Narasimharaja pur Taluk.
9	From the M. C., letter No 356 of 26-27 dt. 26.5.28 Invites reference to his office memo No. 356 of 26-27 dt 2.4.28 forwarding a copy of his office letter to the Ele. Engr forwarding for his scrutiny and subn to Govt an estimate for Rs 4929 for the work. 1b, As the estimate ~~for~~ was sent to the Ele: Engr only a month back its receipt from the Ele. Engr will, if approved, be awaited. and remind him if delayed SD 4/5/28 SD 4/5

~~Sd~~

B.

NOTE—Contn. sheet.

WD 0324—GPB—60,000—24-5-27

WD 1998—GPB—5,000—27-4-25

No. 6074. S.

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,

Dated Bangalore, 23/11/ *192* 5

GENL. & REV. FROM ST. Rn. 25 NOV 1925 To SECTION.

JOHN BHORE, Esq., A.M.I.C.E.,
Chief Engineer of Mysore,
Bangalore.

B. Sreenivasa Iyengar, Esq., B.A.,
Secretary to Government, Revenue Department,
Bangalore.

SIR

With reference to Government Order No. 4012-14/Muz 200-16-11 dated the 28th January 1922 sanctioning an estimate amounting to Rs3,600 for repairing the Singanagadda Basti Matt at Narasimharajapura in the Koppa Taluk, I have the honour to inform you that the Deputy Commissioner, Kadur District after the estimate was sanctioned expressed his opinion that it was not worth while to spend such a large amount as Rs3,600 towards repairs to the Mutt because no Swami has been appointed yet for the institution. After personal inspection of the building he expressed that small repairs to stop leakage, shifting of tiles etc were quite sufficient. So the work was not executed as per estimate sanctioned by Government. The amount placed at the disposal of the Public Works Department was also ordered to be refunded to the Muzrai Department.

2. But now the Muzrai Commissioner in correspondence with the Deputy Commissioner forwarded a revised estimate for Rs4,155 for the works noted in the margin. On the presumption that these two buildings

Repairing the outer Prakaram of Dodda Basti Matt.	1307
Repairing the Sri Santhaveeraswami temple at Singanagadda.....	2820

are two independent buildings, they have been split up into two by this office and are forwarded herewith for sanction. The estimates as scrutinised by this office are in order. The report explains the necessity for the works proposed.

3. As regards funds for the work the Muzrai Commissioner has stated that a sum of Rs.36,265 is reported to be available at the credit of the institution and the cost as per estimates now submited may be allotted out of this amount.

4. The original estimate for the work may kindly be ordered to be cancelled while conveying sanction to the present estimates.

I have the honour to be,

Sir,

Your most obedient servant,

S.H.Lakshmana Rao

For Chief Engineer of Mysore.

Report.

This estimate has been prepared as per suggestions of the - Deputy Commissioner. The original sanctioned estimate is for -- Rs.3,600/- for repairing Shanthaveeraswamy temple alone. The amount of the present estimate for this temple is Rs.2,557/- the reduction in cost being effected by omitting Mangalore tiled roofing in place of which ordinary country tiled roofing is proposed. Further, ceiling arrangement is completely left out. Thus there is a saving of Rs.1043/- which amount is proposed to be utilised for repairing the verandah of Dod-Busty Mut. This portion of the mut is said to be very leaky and the beams, rafters, and pillars are in many places badly damaged. Provision has not been made for rectifying these defects and put the verandah in good order. Rate of for wood work is increased by eight annas since the capitals, pillars etc., require carving. Other rates are suitable to the locality and are in common use."

(Sd.) Executive Engineer,
Kadur Division.

"Copy"

for Muzrai Commissioner.

Letter No.O.C.603/23-24 dated 17th August 1925 from the Deputy Commissioner, Kadur District, to the Muzrai Commissioner in Mysore.

"With reference to your letter No.C.919/24-25 dated the 14th ---- February 1925, calling for the submission of the original and the supplemental estimates for Rs.3,600 /- and Rs.378/- respectively for repairing the Singanagadde Basti Matt, in the Narasimharajapura Sub Taluk for being cancelled, I have the honor to submit herewith the copy of the -- original sanctioned estimate for Rs.3,600/- received from the Executive Engineer, Kadur Division (the original estimate is reported to be missing) for kind reference. As regards the item of Rs.378/- referred to above, no separate estimate was prepared but only copy of Government Order No. 1341-2/Muz.114-23-6 dated 29th March 1924 sanctioning Rs.378/- being the charges for establishment, tools and plant, as the work has to be supervised by the Public Works Department was received with your Memo No.C.32 23-24 dated 29th March 1924.

2. The estimate for Rs.4,133/- received with your letter under --- reference is herewith resubmitted for kind sanction.

"Copy"

2/8/25

for Muzrai Commissioner.

B650

SUBJECT

Diary No of letter replied to 639

General and Revenue Secretariat
(Mem)
, the 192

Date of issue

Signed by

An estimate for Rs 4133 for the repairs of the Sinzaragadde Basti Mutt at Narasimharajapura has been received. I am to request you will be so good as to let me know what amt is at the credit of this Mutt

List of enclosures

Copied by

Examined by

Section Mem
File No. 156-28
Serial No. 2
No. 752 Mem 17.12.28

To

Dear Sir,

I am desired by ~~to enquire~~ request you will be good enough to furnish what the amount at the credit of the Sinzaragadde Basti Mutt at Narasimharajapura is and whether it will suffice to meet the cost of the estimate for Rs 413 for the repairs of the Mutt and the Jain temple at Sinzaragadde, sent up for Govt sanction by the Chief Engr.

Yours Sincerely
17.12.28.

To
J. Satyanarayanachetty, Esqr B.A.
Comptroller

15/12/28

14/12

over

OFFICE OF HIS HIGHNESS THE MAHARAJA OF MYSORE

D.No. 717.
Muz/156-25-3

In reply please refer to
No. 1068 TAD B

Comptroller's Office, Bangalore,

Dated the 22nd December 1925

Dear Sir,

In reply to your D.O.No.752/Muzrai dated 17th December 1925, I have to state that a sum of Rs 6,057-6-4 was at the credit of the Singangadde Basti Mutt at Narasimharajpur, at the end of June 1925, as per books of this office.

Yours sincerely,

Deputy Comptroller.

Muz
WD 23/12

V. Vedavyasacharya Esq., B.A.,
Assistant Secretary to Government of Mysore,
Bangalore.

213

CV

G.R.S. VI G 31]

SUBJECT.....

Diary No. of letter replied to..... 637

Section Mun

File No. 156-25

Serial No. 4

General and Revenue Secretariat

(Mun)

, the 192

Proceedings of the Government of His Highness the Maharaja of Mysore

4

Date of issue.... 9.1.26

Read— 1) G.O. No. 1C12-11, Mysore-18-28-1-1922 sanctioning, among other matters, an estimate for Rs 3600 for the repairs of the Sinkanagadi Basti Mill at Narasimharaja Pura, Koppa Taluk, the cost being met from the funds at the credit of the institution

Signed by.....

2) G.O. No. 1341-2/Mys 114-23-6 & 29-3-24 sanctioning a supplemental estimate for Rs 378 on account of Establt. Tools and Plant charges on account of the above work-

Order Thereon No.

3) Letter No. 607/A 23/11 from the Chief Engineer of Mysore explaining why the sanctioned estimate was not executed ~~as the Flats Dy. Co~~

May this be

i Printed ?

ii treated as a standing order ?

iii published in the Gazette, English Part ?

iv translated ?

v placed at the disposal of the press ?

vi published in the Gazette, Kannada Part ?

of the Kadur District was of opinion that it was not worth while to spend such a large amount as Rs 3600 towards repairs to the mall as there was no swami appointed for the mall and submitting for sanction a Rough estimate for Rs 4,133, forwarded by the Asst. Comm. in concurrence with the Dy Comr, for the works noted in the margin, and further that the estimates now sent in his office are in order - split up into parts as noted in the margin.

1) Repairing the outer Prakara of Sri Veda Brahmi Mutt Rs 130
2) Repairing the Sri Sankara-veeraswami temple at Singonagadde Rs 28[illegible]
4,1[illegible]

Orders - 815-7/Mus 156-25-4 Even Three 8.9.1.25
List of enclosures.

~~The estimate for Rs 4,133~~ is sanctioned, the cost being met from the funds at the credit of the institution.

The chairmanship recommended is vd.

(of the estimate is Rs 4,133)

2. The work should be performed and completed as expeditiously as possible and a report submitted thereon.

Copied by

Examined by

2. The ~~sanctioned~~ ~~the estimate~~ estimate for Rs 3978 Rs 3978 are cancelled

ETO.

WD 1683—GTB—1,000,00—21-12-21.

28/12

ND 1998—GPB—5,000—27-4-28

No. 4833

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,

Dated Bangalore, 26 November *192*6.

GEN. & REV. SECRETARIAT
27 NOV 1926
MUZRAI

FROM

JOHN BHORE, Esq., A.M.I.C.E.,
Chief Engineer of Mysore,
Bangalore.

B. Srinivasa Iyengar, Esq., B.A., B.L.,
Financial Secretary to Government,
Bangalore.

SIR

With reference to your No.815 dated the 29th October 1926, in regard to repairs to the Dodda Basti Matt and Singanagadde Basti Matt in the Narasimharajapura Sub-Taluk, I have the honor to forward herewith, for information, a copy of letter No.91 of the 29th October 1926, received from the Superintending Engineer, Shimoga Circle, reporting the progress made on the works.

I have the honour to be,
S i r,
Your most obedient servant,

For Chief Engineer of Mysore.

Submitted for perusal.
HRR/25th.
The final report will be submitted.
8/12/26

Letter No.91 dated the 29th October 1926, from the Superintending Engineer, Shimoga Circle, to the Chief Engine of Mysore, Bangalore.

==========

With reference to your No.R & B.996 dated the 5th instant, regarding repairs to Dodda Basti Mutt and Singanagadde Basti Mutt in Narasimharajapura, I have the honor to inform you that the work is reported to have been completed but the final bill is not yet settled, as the revised est' which was forwarded to the Deputy Commissioner is not yet sanctioned.

2. Further report is awaited from the Executive Engineer, Kadur Division, and he is reminded to expedite same.

==========

"C o p y."

For Chief Engineer of Mysore.

HRR/25th.

JOHN BHORE, Esq., A.M.I.C.E., Etc.,
Chief Engineer of Mysore,
Bangalore.

9956 Dated 18/4/27

To

B.Srinivasa Iyengar, Esq., B.A., B.
Financial Secretary to Gover
B a n g a l o r e.

GEN. & REVENUE SECRETARIAT
19 APR 1927
MUZRAI
D 1528

Sir,

In continuation of this office D.O. No.1012 dated the 19th March 1927, re repairs to Dodda Basti Mutt and Singangadde Mutt in Narasimharajapura, I have the honour to inform you that the Superintending ----- Engineer, Shimoga Circle reports that the revised, estimate for the work has not yet been sanctioned by the Deputy Commissioner and the work --- cannot therefore be closed-

I have the honour to be,
Sir,
Your most obedient servant,

for CHIEF ENGINEER OF MYSORE.

T.R.S.

APP. F. VI. Gl.]

SUBJECT.....

.....

.....

Diary No. of letter replied to.....1528.....

General and Revenue Secretariat
(Mug)
the 192

Date of issue.....29-6-27.....

Signed by.....Mr M Venkatesa Iyengar.....

List of enclosures.....

Copied by.....

Examined by.....SD 26/6.....

Section Mug
File No. 156-25
Serial No. 6

No. 2123

To

The Dy: Comr:, Kadur Dist

Sir,

I am directed to state that in the matter of repairs to Doddr Basti Mutt and Singanagadd Mutt in Narasimharajapura, Koppa Taluk, an estimate for which was sanctd. for Rs 4133 in G.O No. 815-7/Mug 156-25-4 dt 9-1-26 the Bh. Engr. writes that the revised estimate for the work has not yet been sanctd. by you & that the work cannot therefore be close, and to enquire for what the cause of delay is.

over

I have etc

Mr Secretary
H. Dept

WD 01265—GPB—31,000— 24-12-25

SD 25.4.27 HK 2547

REV. SECRETARIAT
19 MAR 1927
MUZRAI

D. O. No. 1012

MYSORE PUBLIC WORKS DEPARTMENT
CENTRAL OFFICE,

Dated Bangalore the,..18th..March...*192* 7.

Dear Sir,

With reference to your D.O. letter No.1417/Muz 156-25 dated the 3rd February 1927 re repairs to Dodda Basti Mutt and Singanguddi Basti Mutt in Narasimharajapur I write to inform you that it is reported by the Superintending Engineer, Shimoga Circle, that the revised estimate for the work is still awaited from the Deputy Commissioner, Kadur District, and that an urgent reminder has been issued to that officer on the subject.

Yours sincerely,

M.Venkatesa Iyengar,Esq., M.A.,
Under Secretary to Government,
Muzrai Department.

Submitted with previous papers
Receipt of the estimate may be awaited
RS 22.3.27

No. A.5-1780-26.

OFFICE OF THE DEPUTY COMMISSIONER,
KADUR DISTRICT.

ENC.

Dated Chikmagalur, 3rd. April .....1926.

FROM

H.V. Ramaswami, Esq., M.A., B.L.,
Deputy Commissioner,
Kadur District.

REVENUE SECRETARIAT
7 APR 1926
MUZRAI

Rev 156-25-7 D 1341
Sl.7

TO

R. Ranga Rao, Esq., M.A., B.L.,
Secretary to the Government
of His Highness the Maharaja of Mysore,
Revenue Department, *Bangalore.*

SIR,

With reference to your D.O. No. [illegible] dated [illegible] March [illegible] enquiring [illegible] submitting [illegible] estimate for repairing [illegible] Narasimharajapura sub-[illegible], [illegible] that the estimate referred to above was submitted to the Executive Engineer for scrutiny with this office No. [illegible] dated [illegible]. The Executive Engineer having subsequently called for [illegible] of [illegible] circumstances and obtained [illegible] to one of A.111-7 for rebuilding of the bridge [illegible], before ordering sanction of proposed [illegible] estimate, he [illegible] furnished to [illegible] to [illegible] No. A.5-1780-25 dated March [illegible], for [illegible] to [illegible] and [illegible], [illegible] to proceed [illegible] the [illegible] price.

I have the honour to be,
Sir,
Your obedient servant,
H.V. Ramaswami
Deputy Commissioner,
Kadur District.

SUBJECT.....

.....

.....

Section Mur

File No. 156-25

Serial No. 8

No. 1962

Diary No. of letter replied to.....1341.....

General and Revenue Secretariat

(Mur)

the *192*

To The Muzrai Comr in Mysore, Bangalore

Sir,

Date of issue.....25/4/28.....

Signed by...M.R.Ramaiya.....

I am directed to invite reference to Fy. C. No. 815-7/ Mur 156-25-4 & 9.1 26 sanctioning a fresh estimate for Rs 4133 for repairing (1) the outer Prakaram of Dodda Basti Mall & (2) the Sri Santaveeraswami Temple at Singanagadde and to request that the revised estimate stated by the Dy: Comr. Kadur Dt. to have been sent to you, with further

List of enclosures.....

Copied by .....

Examined by .....

over

WD 0325—3PL—3100—26-5-27

case called for, with
Letter no. A 5-1780-26 dt 8-3-28,
[illegible] may be sent to Govt early for
sanction.

2 cases of
M
1-Scarcity,
Dist. Distt

18/4/28

OFFICE OF THE MUZRAI COMMISSIONER IN MYSORE,

Bangalore...30th April.....1928.

1st May.

SECRETARIAT
3
MUZRAI
D 1496
Sl. no. 9

No. 356
26-7

FROM

P. G. D'Souza, Esq., B.A., B.L.,
~~The~~ *Muzrai Commissioner in Mysore.*

To

P. Srinivasa Iyengar, Esq., B.A., B.L.,
Secretary to the Government of His
Highness the Maharaja of Mysore,
Financial Department.

FINANCIAL SEC.
1 MAY 1928
16395-W

SIR,

With reference to your letter No.1962 dated 25th April 1928 re the submission of the estimate for repairing the Singanagadde Basti - Matt Narasimharajapur Sub Taluk. I have the honor to invite your kind reference to this office Memo No.356 of 26-27 dated 2nd April 1928 -- forwarding for your information a copy of this office letter to the Chief Engineer of Mysore with which the estimate and other papers were sent to him for scrutiny and submission to Government for ----- sanction.

I have the honor to be,

Sir,

Your most obedient servant,

Muzrai Commissioner.